## **KERR**

## Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.Ch.)

Revision Date: 03<sup>rd</sup> November 2008

#### **SECTION 1**

## **Product & Company identification**

#### 1.1 Product name

#### **OPTIBOND FL ADHESIVE**

## 1.2 <u>Uses/Application</u>:

Dental adhesive.

## 1.3 Company (Name, address and info phone number)

## KERR ITALIA S.r.l.

Via Passanti, 332

84018 Scafati (SA) - Italy

Free Phone: 00-800-41-050-505

1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39.081.8508.325 (08.00-17.00, European time, GMT+1)

E-mail address: safety@kerrhawe.com

#### **SECTION 2**

#### Hazard identification

2.1 Hazard classification (according to communitarian directives 67/548/EEC & 99/45/EC)

Harmful; Sensitizing.

#### 2.2 Other hazard

None.

#### **SECTION 3**

#### **Composition/Information on Ingredients**

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

#### 3.1 Hazardous ingredients

| HAZARDOUS                       | %     | HAZARD  | RISK     | CAS N.     | EINECS    |
|---------------------------------|-------|---------|----------|------------|-----------|
| INGREDIENTS                     |       | SYMBOLS | PHRASES  |            | N.        |
| HydroxyEthylMethAcrylate (HEMA) | 15-20 | Xi      | 36/38-43 | 868-77-9   | 212-782-2 |
| Disodium Hexafluorosilicate     | 1 - 2 | T       | 23/24/25 | 16893-85-9 | 240-934-8 |

## 3.2 Other non-hazardous ingredients

Uncured Methacrylate Ester Monomers and inert fillers.

#### **SECTION 4**

#### First aid measures

- 4.1 Treatment for eye contact: Flush with water for 15 minutes including under eyelids.
- 4.2 Treatment for skin contact: Wash skin thoroughly with soap and water.
- 4.3 Treatment for inhalation (breathing): Remove to fresh air. If irritation persists, seek medical attention.
- <u>4.4 Treatment for ingestion (swallowing)</u>: Rinse mouth out with water do not induce vomiting. Seek medical attention.

#### **SECTION 5**

## **Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Carbon dioxide and dry chemical foam.
- 5.2 Forbidden extinguishing media: Unknown.
- 5.3 Special fire fighting measures: None. Wear self-contained breathing apparatus
- <u>5.4 Unusual fire and explosion hazards:</u> Heat can cause polymerization with rapid release of energy. High temperature may generate hazardous vapours of hydrofluoric acid.
- 5.5 Special protection equipment: Sealed overall against liquids and gases.

#### **SECTION 6**

#### **Accidental Release Measures**

- 6.1 Personal Precautions: Adopt the same precautions listed in section 8.
- 6.2 Environmental Precautions: Keep spilled material out of sewers.
- <u>6.3 Reclaiming Methods:</u> Wipe up with cloth and transfer to suitable container for disposal.

#### **SECTION 7**

Handling and Storage (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: Handle away from sources of ignition. Adopt precautions listed in section 8.
- 7.2 Precautions in case of Fire and Explosion: None particular.
- 7.3 Storage Conditions: Store in a cool, dry place, away from heat, light and ignition sources.
- <u>7.4 Suggested container(s)</u>: The original containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid contact with acids and strong oxidizing agents.
- 7.6 Environmental precautions: Avoid contamination of sewers with product.
- 7.7 Other Precautions: Use according to directions and good personal hygiene and safety practices.

|                                       | •   |  |
|---------------------------------------|---|--|
| SECTION 8                             |   |  |
| Exposure controls/personal protection |   |  |
| 8.1 Exposure Limits:                  | TWA/TLV: None   |  |
| 8.2 Exposure control measures         | <u>ː</u>  |  |
| 8.2.1 Precautionary Meas              |   |  |
| (according to communite               | rian directives 89/686/EEC & article 4 of 98/24/EC)                                 |  |
|                                       | <u>Local Exhaust Ventilation</u> : Good general ventilation should be sufficient to |  |
| Ventilation:                          | control airborne levels of vapours released by uncured material.                    |  |
| , <b>-</b>                            | Special Ventilation: None required.   |  |
|                                       | Mechanical (General) Ventilation: Good general ventilation recommended.             |  |
|                                       | Other Ventilation: None required.   |  |
| Respiratory Protection:               | Avoid breathing of vapours of the material. In case of high vapours                 |  |
|                                       | concentration, use a mask with a filter against organic vapours.                    |  |
| Hands Protection:                     | Nitrile or Vinyl gloves are sufficient for short contact and for small quantity     |  |
|                                       | handling. Otherwise, impervious rubber or PVA gloves are recommended.               |  |
| Eyes Protection:                      | Safety glasses may be used.   |  |
| Skin Protection:                      | Handle in accordance with good personal hygiene and safety practices.               |  |
|                                       | These practices include avoiding unnecessary exposure to uncured material.          |  |
| Other Protective Equipments:          | It would be better use a lab coat.  |  |
| Measures listed in this paragro       | aph are to be considered as indications and NOT prescriptions (89/656/EEC)          |  |
| 8.2.2 Environment exposur             | e control measures  |  |
| Not Applicable.                       |   |  |
| 11                                    |   |  |

| SECTION 9 Physical and Chemical Properties                            |  |  |
|---|--|--|
| 9.1 General information   |  |  |
| Appearance: Light yellow liquid.                                      | Odour: Fruity ester-like odour.            |  |
| 9.2 Information related to health, safety and environment             |  |  |
| <u>pH</u> : Not established (N/E)                                     | Relative density: N/E                      |  |
| Boiling point: N/E  | Specific gravity: ~1.1 g/ml                |  |
| Flash point: N/A  | Solubility: Partial                        |  |
| Flammability: Not flammable.  | Partition coefficient n-octanol/water: N/E |  |
| Lower Explosivity Limit (L.E.L.): N/A                                 | Viscosity: N/E                             |  |
| <u>Upper Explosivity Limit (U.E.L.)</u> : N/A                         | <u>Vapor density (air = 1)</u> : $N/E$     |  |
| Oxidizing properties: None  | Evaporation rate (n-butane = 1): $N/E$     |  |
| <u>Vapour pressure</u> : N/E  | Melting point: N/E                         |  |
| 9.3 Other information (according to communitarian directive 94/9/EC): |  |  |
| Miscibility: Not available  | Conducibility: Not available               |  |
| Solubility in Lipids: Not available                                   | Gases Group: Not applicable                |  |

#### **SECTION 10**

## **Stability and Reactivity**

Stability: Stable if stored as directed.

10.1 Conditions to avoid: Heat, light, aging and contamination.

10.2 Materials to avoid (incompatibility): Acids and strong oxidizing agents.

10.3 Hazardous decomposition products: Carbon Oxides.

Other precautions:

<u>Hazardous Polymerization Products</u>: Not determined

Safety significance in case of change in physical appearance: Unknown

Stabilizers: The product is stabilized with non-hazardous polymerization inhibitors.

#### **SECTION 11**

## **Toxicological Information**

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

None.

\_\_\_\_\_

Effects and hazards of eye contact: May cause irritation and damage if not removed promptly.

Effects and hazards of skin contact: Irritating. May cause sensitization in sensitive individuals.

Effects and hazards of Inhalation (Breathing): May cause irritation to the throat and respiratory tract.

Effects and hazards of Ingestion (Swallowing): May cause severe irritation to the digestive tract, abdominal pain, nausea. Uncured material may be harmful if swallowed.

Effects for prolonged Exposure: Not applicable.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

| HEMA                        | LD <sub>50</sub> (oral rat)               | > 5000 mg/Kg |
|-----------------------------|---|--------------|
|                             | LD <sub>50</sub> (skin rabbit)            | > 3000 mg/Kg |
|                             | LC <sub>50</sub> (inhalation rat/3 weeks) | > 0,5 mg/Kg  |
| DISODIUM HEXAFLUOROSILICATE | LD <sub>50</sub> (oral rat & rabbit)      | 125 mg/Kg    |
|                             | LD <sub>50</sub> (oral mouse)             | 70 mg/l      |

#### **SECTION 12**

## **Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

## Aquatic toxicity data for ingredients:

| HEMA                        | LC <sub>50</sub> (Fish, Oryzias Latipes)     | > 100 mg/l (OCSE 203, 96h)      |
|-----------------------------|--|---------------------------------|
| Easily biodegradable: 84%   | LC <sub>50</sub> (Fish, Oryzias Latipes)     | > 100 mg/l (OCSE 204, 14 days)  |
| (OCSE 301D, closed bottle   | NOEC (Daphnia magna)                         | 24,1 mg/l (OCSE 202/2, 21 days) |
| test, 28 days)              |  |                                 |
|                             | EC <sub>50</sub> (Daphnia magna)             | 380 mg/l (OCSE 202/1, 48h)      |
|                             | EC <sub>50</sub> (Selenastrum Copricornutum) | 345 mg/l (OCSE 201, 72h)        |
|                             | EC <sub>50</sub> (Pseudomonas fluorescens)   | > 3000 mg/l (DEV LB, 16h)       |
| Disodium Hexafluorosilicate | LC <sub>50</sub> (Fishes)                    | 10-100 mg/l (after 48 hours)    |
|                             |  |                                 |

#### **SECTION 13**

## **Disposal considerations**

Dispose of in accordance with local regulations.

## **SECTION 14**

## **Transport information**

## 14.1 Sea transportation (IMDG)

The product is not regulated.

## 14.2 Air transportation (ICAO/IATA)

The product is not regulated.

## 14.3 Transportation by Road/Railway (RID/ADR)

The product is not regulated.

#### **SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)

## **Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

# **SECTION 16 Other information**

## 16.1 Risk phrases of all ingredients

43 May cause sensitisation by skin.

20/21/22 Harmful by inhalation, in contact with the skin and if swallowed.

36/38 Irritating to eyes and skin.

23/24/25 Toxic by inhalation, in contact with the skin and if swallowed

## 16.1.1 Safety phrases of all ingredients

- 1/2 Keep locked up and out of reach of children.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 28 After contact with skin, wash immediately with plenty of water.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

## 16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – www.ecb.jrc.it)

European chemical Substances Information System (ESIS - www.ecb.jrc.it/esis)

A.C.G.I.H. (www.acgih.org)

N.I.OS.H. (www.cdc.gov/niosh/)

O.S.H.A. (www.osha.gov/)

U.E. (www.europa.eu/index\_it.htm)

I.A.R.C. (www.iarc.fr/)

N.T.P. (www.ntp.niehs.nih.gov)

#### **European Community Directives:**

| 67/548/EEC: | Classification, packaging and labelling of dangerous substances.                            |
|-------------|---|
| 99/45/EC:   | Directive concerning the approximation of the laws, regulations and administrative          |
|             | provisions of the Member States relating to the classification, packaging and labelling of  |
|             | dangerous preparations.   |
| 2001/58/EC: | Second amendment of directive 91/155/EEC for the definition of a detailed arrangement       |
|             | of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and        |
|             | substances (art. 27 of 67/548/EEC).   |
| 89/656/EEC: | Directive on the minimum health and safety requirements for the use by workers of           |
|             | personal protective equipment at the workplace (third individual directive within the       |
|             | meaning of Article 16 (1) of Directive 89/391/EEC).   |
| 89/686/EEC: | Approximation of the laws of the Member States relating to personal protective              |
|             | equipment.  |
| 94/9/EC:    | Approximation of the laws of the Member States concerning equipment and protective          |
|             | systems intended for use in potentially explosive atmospheres                               |
| 98/24/EC:   | Protection of the health and safety of workers from the risks related to chemical agents at |
|             | work.   |

<u>Document modification history</u>: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

## **CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.